



SOLUTIONS FOR
Marine &
Offshore





We engineer dreams



Contents

- MARINE & OFFSHORE5
- APPLICATIONS OVERVIEW 6
- PRODUCTS OVERVIEW 8
- WINCH DRIVES.....10
 - FW & FWX Series..... 11
 - 700C Series 11
 - 800 Series..... 11
- SLEW DRIVES12
 - 700T Series..... 13
 - S Series..... 13
- STEERING DRIVES14
 - 700T Series..... 15
 - 300 Series..... 15
- JACK-UP DRIVES.....16
 - 700T & JD Series 17
- TRACK TENSIONER DRIVES.....18
 - 700C Series 19
 - FW Series 19
- MULTIPURPOSE PLANETARY DRIVES.....20
 - 300 Series..... 21
- HELICAL DRIVES 22
 - HDP/HDO Series..... 23
- OUR PROJECTION INTO THE FUTURE24
- OUR CONSTANT AMBITION 25
- OUR GLOBAL PRESENCE.....26



Engineering Solutions



WWW.BONFIGLIOLI.COM

Marine & Offshore

A COMPLETE RANGE OF DRIVES FOR MARINE AND OFFSHORE APPLICATIONS


Bonfiglioli offers a wide range of solutions for lifting, pulling and slewing machinery, including shipyard cranes, offshore cranes and platforms, deck machinery, azimuth thrusters and pipelayers.




Thanks to our technical experience and ability to develop flexible and tailor-made solutions, Bonfiglioli is the ideal partner for all marine and offshore applications.

The design of several groups of products and jacking gears has been approved by major Classification companies, such as ABS, DNV GL, LR, CCS, RS, etc. These products can be delivered with 3.2 certification and full traceability of the load bearing components.

In addition, we can provide ATEX-certified and special drives developed for low-temperature applications. Bonfiglioli has also developed a specific range of gearboxes for jacking machinery with rack-and-pinion design, intended for jack-up drilling rigs, service lift boats, accommodation and windmill installation vessels.

Bonfiglioli and O&K product series offer one of the widest ranges of final drives in the world - up to 3.000.000 Nm - to their customers.





OFFSHORE CRANES



- FW Series
- FWX Series
- 800 Series
- 700C Series
- S Series
- 700T Series

DECK MACHINERY

- FW Series
- FWX Series
- 800 Series
- 700C Series
- S Series
- 700T Series
- 300 Series
- HDO Series

LIFEBOAT DAVIT CRANES

- FW Series
- 800 Series
- 700C Series



PIPE TENSIONERS

- FW Series
- 700C Series

JACKING SYSTEM

- 700T Series
- JD Series

AZIMUTH THRUSTERS

- 700T Series
- 300 Series



1

WINCH DRIVES

- FW Series
- FWX Series
- 800 Series
- 700C Series



2

SLEW DRIVES

- 700T Series
- S Series



3

STEERING DRIVES

- 700T Series
- 300 Series



4

JACK-UP DRIVES

- 700T Series
- JD Series



5

TRACK TENSIONER DRIVES

- FW Series
- 700C Series



6

MULTIPURPOSE PLANETARY DRIVES


- 300 Series



7

HELICAL DRIVES



- HDP/HDO Series



1

WINCH DRIVES

The Bonfiglioli and O&K lines of winch drives expertly meet requirements for lifting applications. These Series (FW, FWX, 800 and 700C) cover the whole marine and off-shore sectors for this type of application.



FW & FWX Series Winch drives

BENEFITS

- High "performance / dimension" ratio
- Robust design
- Class approved drives on request
- Special design suitable on request

FEATURES

- High torque range
- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request
- ATEX versions on request
- Linear and Angular input

TORQUE RANGE

Max Torque (Nm) up to

FW30	15.000	FW260	150.000
FW40	20.000	FW360	200.000
FW55	25.000	FWX440	260.000
FW80	39.000	FWX560	310.000
FW100	52.000	FWX650	450.000
FW130	73.000	FWX700	660.000
FW180	112.000	FWX1300	950.000
FW220	133.000	FWX3000	1.550.000

Considering FEM M5-L2-T5 @ output speed 15 rpm

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



700C Series Winch drives

- Compact design
- Designed for high volume series applications

- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request

Max Torque (Nm) up to

705C2H	4.800
706C3B	9.500
707C3B	19.000
709C3B	23.000
710C3B	29.000
711C3B	32.000
713C3B	45.000
715C3B	55.000
716C3B	76.000
717C3H	95.000
718C3H	105.000
720C3H	174.000
722C3H	249.000

Considering FEM M5-L2-T5 @ output speed 15 rpm

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



800 Series Winch drives

- Modular design allows high flexibility and fast delivery using the standard components of the 300 Series
- Class approved drives on request

- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request
- ATEX versions on request
- Linear and Angular input

Max Torque (Nm) up to

810WL3	30.000
813WL3	45.000
815WL3	58.000
818WL3	120.000
824WL3	285.000

Considering FEM M5-L2-T5 @ output speed 15 rpm



Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



2

SLEW DRIVES

The Bonfiglioli and O&K lines of slew drives consist in a wide torque range with reduced dimensions and weight. Suitable for the most demanding offshore jobs, these drives are available with splined shaft or integrated pinions. Their design optimizes torque performance and radial load capacity to give excellently mesh pinion and ring gear. For accurate adjustment, the Bonfiglioli series is also available with eccentric mounting between the pinion axis and the casing axis.



700T Series
Slew drives

BENEFITS

- Wide torque range
- Class approved drives on request

FEATURES

- Output shaft: splined or integrated pinion
- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request
- ATEX versions on request

TORQUE RANGE

Max Torque (Nm) up to	
700T	1.200
701T	2.400
703T	3.500
704T	4.800
705T	6.500
706T	10.000
707T	15.000
709T	20.000
710T	30.000
711T	35.000
712T	45.000
713T	55.000
714T	65.000
715T	80.000

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli




S Series
Slew drives

- Compact structure
- High performance
- Interchangeable solutions
- Class approved drives on request

- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request
- ATEX versions on request

Max Torque (Nm) up to	
S5	5.000
S7	7.000
S10	10.000
S13	13.000
S20	20.000
S30	30.000
S35	35.000
S40	40.000
S54	54.000
S60	60.000
S90	90.000
S130	130.000
S440	440.000



Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



3

STEERING DRIVES

The Bonfiglioli line of azimuth thruster drives includes a wide range of sizes. Their design optimizes torque performance and radial load capacity to give excellently mesh pinion and ring gear.



700T Series

Steering drives

BENEFITS

- Wide torque range
- Class approved drives on request

FEATURES

- Splined shaft or integrated pinion
- Pinion Certification 3.2 on request
- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request

TORQUE RANGE

Max Torque (Nm) up to	
706T	10.000
707T	15.000
709T	20.000
710T	30.000
711T	35.000
712T	45.000
713T	55.000
714T	65.000
715T	80.000

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



300 Series


Multipurpose planetary drives

- Wide torque range
- Class approved drives on request
- Huge number of configurations

- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request

Max Torque (Nm) up to	
306	8.500
307	12.500
309	18.000
310	25.000
311	40.000
313	55.000
314	80.000
315	100.000
316	134.000
317	170.000

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli




4

JACK-UP DRIVES

For many years, Bonfiglioli has been developing and supplying gearboxes for jacking machinery on offshore platforms. Units can be in-line or have a drop box for offset motor installation.

They can be electrically or hydraulically driven, with or without a negative parking brake.

Bonfiglioli can deliver integrated pinions up to more than m100 and lantern pieces with integrated torque arm for easy installation. Units class approved, and full 3.2 certification of the load-bearing parts of the gear transmission with full traceability from raw material to final machined component.



700T & JD Series
Jack-up drives

BENEFITS

- Wide range of jacking torques
- Special design suitable on request


FEATURES

- Fitting for hydraulic and electric motors
- Splined shaft or integrated pinions up to more than m100
- Integrated torque arm
- Special paint on request

TORQUE RANGE

Max Jacking Torque (Nm)	
718 T5	163.000
718 T5 FZ	225.000
719 T5	305.000
721 T5	650.000
JD 1300	810.000
JD 2000	1.260.000
JD 3000	1.770.000


Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



5

TRACK TENSIONER DRIVES

The compact design allows the 700C and FW Series to be easily integrated in the track tensioner for pipe laying systems. Bonfiglioli IS support this market in this special application since several years.



700C Series
Track tensioner drives



FW Series
Track tensioner drives

BENEFITS

- Compact design
- High “performance / dimension” ratio

FEATURES

- Special paint on request
- Linear and Angular input
- Special paint on request
- Linear and Angular input


TORQUE RANGE

Max Torque (Nm) up to	
710C3B	29.000
711C3B	32.000
713C3B	45.000
715C3B	57.000
716C3B	76.000
717C3H	95.000
718C3H	105.000
720C3H	174.000
722C3H	249.000

Considering FEM M5-L2-T5 @ output speed 15 rpm
Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli

Max Torque (Nm) up to	
FW30	15.000
FW40	20.000
FW55	25.000
FW80	39.000
FW100	52.000
FW130	73.000
FW180	112.000
FW220	133.000
FW260	150.000
FW360	200.000


Considering FEM M5-L2-T5 @ output speed 15 rpm
Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



6

MULTIPURPOSE PLANETARY DRIVES

The 300 series is compact and powerful. Their planetary drive train makes them the ideal choice for all heavy duty applications. The product configuration is highly versatile, due to several options for mounting, gear layout, output shaft and motor interface. All the features are available for each of the 20 finely spaced frame sizes.



300 Series
Multipurpose planetary drives

BENEFITS

- Modular design allows high flexibility and fast delivery
- Huge number of configurations
- Class approved drives on request

FEATURES

- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request
- ATEX versions on request
- Linear and Angular input

TORQUE RANGE

Max Torque (Nm) up to			
300	1.000	313	55.000
301	1.750	314	80.000
303	2.500	315	100.000
304	3.600	316	134.000
305	5.000	317	170.000
306	8.500	318	250.000
307	12.500	319	350.000
309	18.000	321	500.000
310	25.000	323	800.000
311	40.000	325	1.100.000

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli



7

HELICAL DRIVES (PARALLEL OR ORTHOGONAL SHAFTS)

High torque, robustness, reliability and long-operating life are the main features of the HDx Series main features. The output shaft can be chosen both in the parallel (HDP) or right angle (HDO) configuration to always ensure the optimization of mounting space. The HDx Series can also be fully customized thanks to an extremely broad portfolio of options and accessories. It thus meets most requirements of a large number of applications.



HDP/HDO Series

Helical drives (parallel or bevel shaft)

BENEFITS

- Highly transmissible power
- Robustness
- Mounting flexibility
- Compact design
- Class approved drives on request

FEATURES

- Wide range of options and accessories
- Fitting for hydraulic and electric motors
- Integrated hydraulic brake available on request
- Special paint on request
- ATEX versions on request

TORQUE RANGE

Max Torque (Nm) up to	
HD_ 71	8.990
HD_ 81	14.740
HD_ 91	21.610
HD_ 95	23.200
HD_ 100	28.210
HD_ 110	31.790
HD_ 120	41.250
HD_ 125	49.240
HD_ 130	69.570
HD_ 140	87.060
HD_ 150	117.800
HD_ 160	147.070
HD_ 170	190.190
HD_ 180	209.900

Max Torques values depend on ratio and linear or angular configuration, for the specific selections contact Bonfiglioli

R&D Capacity

DESIGN SIMULATION



TESTING
LABORATORIES



CO-ENGINEERING



The R&D department at Bonfiglioli develops cutting-edge solutions that integrate the most advanced mechanical, electrical, electronic and hydraulic technologies, responding to the most complex application challenges. **Each R&D center focuses on dedicated product lines, ensuring specialist know-how and tailor-made innovation.**

R&D CENTERS WORLDWIDE



ITALY

Bologna
Rovereto
Forlì



GERMANY

Hattingen
Krefeld



INDIA

Chennai



CHINA

Shanghai



Production: the heart of our company

OUR PRODUCTION SITES COMBINE INNOVATION AND PRECISION, REDEFINING THE CONCEPT OF OPERATIONAL EXCELLENCE.



With a fleet of 200 collaborative, high-capacity robots joining our AGVs/AMRs, we have built a seamlessly integrated **automated production ecosystem**.

We bridge the gap between production and IT infrastructure thanks to end-to-end digital integration, ensuring real-time monitoring and data-driven optimization.



From smart picking in our **advanced warehouses** to dynamic shipping, we guarantee agile, reliable and fast global delivery.

Our worldwide presence

Thanks to an international network of closely interconnected commercial and production sites, we can guarantee the same high standards of Bonfiglioli quality anywhere at any given time. We know that our direct presence in local markets is the key to long-lasting success, so our family includes 17 production sites, 23 commercial sites and more than 550 distributors around the world.

Our organization is always close by, offering complete and efficient solutions and supporting our customers with dedicated services, co-engineering and after-sales assistance.

18  PRODUCTION SITES

24  COMMERCIAL SITES

80  COUNTRIES

550  DISTRIBUTORS

~5,000  PEOPLE

Bonfiglioli global locations

AUSTRALIA

Bonfiglioli Transmission (Aust.) Pty Ltd
Plumpton NSW



BRAZIL

Bonfiglioli Redutores do Brasil Ltda
São Bernardo do Campo - São Paulo



CHINA

Bonfiglioli Drives (Shanghai) Co. Ltd.
Shanghai



Selcom Electronics (Shanghai) Co., Ltd
Shanghai



Shanghai



FRANCE

Bonfiglioli Transmission S.A.S.
Marly la Ville



GERMANY

Bonfiglioli Deutschland GmbH
Neuss



Bonfiglioli Deutschland GmbH
Krefeld



O&K Antriebstechnik GmbH
Hattingen



INDIA

Bonfiglioli Transmission Ltd.
Mobility & Wind Industries
Thirumudivakkam
Kancheepuram - Tamil Nadu



Industry & Automation Solutions
Mannur Village, Sriperumbudur Taluk
Kancheepuram - Tamil Nadu



Industry & Automation Solutions
Pune - Maharashtra



ITALY

Bonfiglioli Riduttori S.p.A.
Industry & Automation Solutions
Calderara di Reno (BO)



Industry & Automation Solutions
Carpiano



Mobility & Wind Industries
Forlì



Industry & Automation Solutions
Rovereto



Selcom Group S.p.A.
Castel Maggiore (BO)



Castel Maggiore (BO)



Cadriano (BO)



NEW ZEALAND

Bonfiglioli Transmission (Aust.) Pty Ltd
Auckland - Ellerslie



SINGAPORE

Bonfiglioli South East Asia Pte Ltd
Singapore



SLOVAKIA

Bonfiglioli Slovakia s.r.o.
Považská Bystrica



SOUTH AFRICA

Bonfiglioli South Africa Pty Ltd.
Johannesburg



SOUTH KOREA

Bonfiglioli Korea Co., Ltd.
Busan



SPAIN

Tecnotrans Bonfiglioli S.A
Castellbisbal - Barcelona



TURKEY

Bonfiglioli Türkiye Jsc
Çiğli - Izmir



UNITED KINGDOM

Bonfiglioli UK Ltd.
Warrington - Cheshire



USA

Bonfiglioli USA Inc.
Hebron - Kentucky



VIETNAM

Bonfiglioli Vietnam Co. Ltd.
Ben Cat city, Binh Duong province





We have a relentless commitment to excellence, innovation & sustainability. Our team creates, distributes and services world-class power transmission & drive solutions to keep the world in motion.

HEADQUARTERS

Bonfiglioli S.p.A.

Via Cav. Clementino Bonfiglioli, 1
40012 Calderara di Reno - Bologna (Italy)
Tel. +39 051 6473111

