



SOLUTIONS FOR

E-mobility

PRODUCT RANGE





We engineer dreams



Contents

E-MOBILITY	5
MILESTONES	6
WAREHOUSE & MATERIAL HANDLING	8
Forklifts	10
Warehouse trucks	11
Automated guided vehicles	12
Access platforms	13
OFF HIGHWAY	14
Mini excavators	16
Excavators	17
Mini track loaders	18
Compact track loaders	19
Pavers	20
Crushers & Screeners	22
Transit mixer trucks	23
Sprayers	24
Wheeled & Tracked agrirobots	26
OUR PROJECTION INTO THE FUTURE	28
OUR CONSTANT AMBITION	29
OUR GLOBAL PRESENCE	30

Engineering Solutions

E-mobility



WWW.BONFIGLIOLI.COM

ELECTRIC POWERTRAIN AND DRIVE SOLUTIONS

A major force for over 40 years, Bonfiglioli conceives, designs and produces custom powertrains and drives for a wide range of electric applications. Whenever a custom solution is required, manufacturers can benefit from Bonfiglioli's technical expertise. Our teams work closely with powertrain designers and component suppliers to develop innovative and efficient tailor-made solutions. Current emission regulations applied to the automotive industry have been extended to warehouse and material handling vehicles; over the medium term, the concepts and technologies involved are likely to be scaled up to heavy duty applications. We have a dedicated solution for all the heavy duty vehicles manufacturers that are eagerly seeking improvements in efficiency to increase productivity and reduce the total cost of ownership for end-users. We are the right partner to support your transition to electric transport, thanks to years of experience in powertrain design for light and medium duty vehicles.



Milestones

A LONG HISTORY OF POWER TRANSMISSION AND ELECTRIC SOLUTIONS

1956

Clementino founded Costruzioni Meccaniche Bonfiglioli

1975

Acquisition of Bonfiglioli Trasmital

1976

First electric transmission for class III material handling

1981

First hydrostatic planetary transmission for class IV material handling

1992

First electric transmission for class II material handling

2004

Development of the forklift hydraulic steering system for material handling

First electric transmission for class I material handling

2009

Establishment of the Bonfiglioli Electromobility Competence Center

2012

Dedicated assembly line for the mass production of single motor drive axles for material handling class I

2014

Development of a complete portfolio of class II/III material handling solutions

2016

200,000 forklifts driven by Bonfiglioli products. Partner of the world's top 3 OEMs


2018

Expansion of Bonfiglioli's Italian e-mobility plant

2020

Ramped-up production of differential drives used in commercial vehicles

Capacity increased by an additional high automation assembly line applying industry 4.0 concepts to the mass production of dual motor drive axles for forklifts



4 ACCESS PLATFORMS

3 AUTOMATED GUIDED
VEHICLES


1 FORKLIFTS

2 WAREHOUSE TRUCKS

1

FORKLIFTS

Bonfiglioli supplies high-efficiency, low-noise planetary axes and drives with integrated high performance electric motors and low maintenance braking systems for Class 1 material handling vehicles. Typical applications include 3- and 4-wheel counterbalance lift trucks and ground support equipment. Bonfiglioli electric powertrains are fully tested in the factory and guarantee low energy consumption. This, in turn, means longer battery life, extended servicing intervals and lower costs of ownership.



600F Series
Traction Systems

- BENEFITS**
- Maximum efficiency
 - Minimum noise
 - Complete solution
 - Fully tested

- FEATURES**
- Dual stage gearbox
 - Optimized gear design
 - Service brake
 - Parking brake
 - Integrated, customized mast support
 - Integrated AC traction motor protection rating up to IP54
 - Integrated, high accuracy, silicon-based temperature sensor
 - Integrated, high resolution hall effect speed sensor

TECHNICAL DATA

Axle torque (Nm)	
601 F	3,000
602 F	5,500
603 F	7,000
605 W	15,000
606 W	20,000
610 W	50,000

Lift capacity (kg)	
601 F	2,500
602 F	3,500
603 F	5,000
605 W	7,000
606 W	12,000
610 W	20,000



600WOC Series
Idle Steering System

- 360° steering
- Complete solution
- Fully tested

- Hydraulic steering
- Electric steering for 601W0
- Optimized steering angle design

Lift capacity (kg)	
601 W0C	2,000
602 W0C	3,000
603 W0C	3,500



DISPLAY
Customized solution

- High integration level
- High-end & high-speed design
- All black IPS display
- Polyphonic grade alarms
- Double high-speed (and full management) of can interface
- IP65 grade protection
- Capacitive touch button
- Light sensor for backlight




DC/DC CONVERTER
Customized solution

- Extended input voltage
- Back and forward topology
- Multiple output power version with the same enclosure
- Isolated and not isolated topology
- Thermal protection
- Output protection
- Balancing power between 2 DC/DC
- LIN interface
- Input enable
- Up to 60°C ambient temperature
- IP65 grade protection

2

WAREHOUSE TRUCKS

Bonfiglioli EL steerable drives are a perfect match for the most demanding warehousing applications (Class 2 and Class 3). Warehousing trucks require high maneuverability in tight spaces, provided by drives like those in the EL series, with the smallest operating radius in vertical arrangements.



EL Series
Steerable Drives

- BENEFITS**
- Maximum efficiency
 - Minimum noise

- Complete solution
- Fully tested

- FEATURES**
- Two-stage helical & bevel gearboxes
 - Manual steering and power steering versions
 - Optimized gear design for efficiency and noise

- Integrated low-voltage electric motor
- Integrated parking brake
- Complete system with tires

TECHNICAL DATA


Torque (Nm)		Max wheel load (kg)	
EL100	450		1,200
EL09	500		1,200
EL96	500		1,500
EL10	900		1,500
EL300	1,100		2,200
EL92	1,500		3,000
EL93	1,500		3,000
EL94	1,500		3,000
EL14	1,900		3,400
EL16	2,500		4,000



3

AUTOMATED GUIDED VEHICLES

Automatic Guided Vehicles (AGVs) and Autonomous Mobile Robots (AMRs) are a range of driverless transportation robots that can autonomously transport materials through designated pickup and delivery routes within a facility. AGVs and AMRs are easy to integrate into existing processes, simplifying intralogistic flows and increasing automation levels. Due to this, a wide range of sectors are adopting these solutions.



4

ACCESS PLATFORMS

Wheel drives
With a reliable series of products made for access platforms, Bonfiglioli gives machine builders the best possible choice of drive systems. The compact, silent, highly efficient and maintenance-free integrated drive motors are excellent with access platforms for indoor and outdoor use.

Slew drives
Bonfiglioli slew drives are the most effective solution for both hydraulic and electric access platforms.



BlueRoll Basic
TQW: the new Wheel-Mounted Gearbox Series

- Easy installation
- Heavy load capability
- Great reliability
- Reduced footprint



BlueRoll Advanced
Powerful and Compact Servo Gearmotors

- High energy efficiency
- Rigid and accurate
- High torque capability
- High flexibility



BlueRoll Compact
Extra Compact Servo Gearmotors

- Simplified AGV design
- Suitable for long operation times
- Top level configuration



600WE Series
Wheel Drives

- Compact dimensions
- Low noise
- High efficiency
- Maintenance-free motors



700TE Series
Slew Drives

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

BENEFITS

FEATURES

- Three gearmotor sizes, rated for loads up to: 360kg, 720kg and 1020kg
- Speed up to 2 m/s
- New wheel-mounted precision planetary gearbox: TQW
- Permanent magnet synchronous motors with premium efficiency
- Wide range of feedback systems, including safety encoders
- Compact, extensively customizable design

TECHNICAL DATA

Torque (Nm)	
TQW 060	30
TQW 070	65
TQW 090	155

BENEFITS

FEATURES


- Multistage planetary drive
- Optimized gear design for maximum efficiency and minimum noise
- Integrated, low voltage, 3 phase PM or induction motor
- Integrated, high accuracy, temperature sensor
- High resolution, hall effect speed sensor
- Motor protection degree up to IP67

TECHNICAL DATA

Torque (Nm)	
600 WL	500
600 WE	900
601 RE	3,000
602 RE	3,500
602 WE	4,500
604 WE	7,000
605 WE	10,000

Torque (Nm)	
700 TE	750
701 TE	1,200
703 TE	2,500
705 TE	5,000





2 EXCAVATORS

MINI EXCAVATORS **1**

MINI TRACK LOADERS **3**

COMPACT TRACK LOADERS **4**

9 WHEELED & TRACKED AGRIROBOTS

7 TRANSIT MIXER TRUCKS

6 CRUSHERS & SCREENERS

8 SPRAYERS


5 PAVERS

1

MINI EXCAVATORS

Track, slew and pump drives

Thanks to a reliable series of products for 1 to 6 ton mini-excavators, Bonfiglioli gives machine builders the best possible choice of drive system. High performance, including high torque in a compact space, is one of our portfolio's key benefits. These solutions allow for smooth machine operation.



2


EXCAVATORS

Track drives

High performance, including high torque in a compact space, is one of our portfolio's key benefits. These solutions allow smooth machine operation.

Slew drives

Compact and efficient, Bonfiglioli slew drives for above 15 tons excavators ensure the best possible machine efficiency and easy maintenance



700CE Series
Track Drives



700TE Series
Slew Drives



BPM MOTOR Series
Pump Drives



700CE Series
Track Drives



700TE Series
Slew Drives



BPM MOTOR Series
Pump Drives

BENEFITS

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

BENEFITS

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

FEATURES

- Reduced axial length thanks to the PM e-motor
- Fully integrated design
- Integrated electromagnetic parking brake
- Integrated speed and temperature sensors
- High protection rating

- Fully integrated design
- Integrated electromagnetic brake
- Integrated speed and temperature sensors
- High protection rating

- Permanent magnet motors
- Suitable for 48-400 Vdc batteries
- Air cooled
- Aluminum housing
- Protection rating >IP65
- SAE flanges available

FEATURES

- Reduced axial length thanks to PM e-motor
- Fully integrated design
- Integrated electromagnetic parking brake
- Integrated speed and temperature sensors
- High protection rating

- Fully integrated design
- Integrated electromagnetic brake
- Integrated speed and temperature sensors
- High protection rating

- Permanent magnet motors
- Suitable for 400-800 Vdc batteries
- Liquid cooled
- Aluminum or cast iron housing
- Protection rating >IP65
- SAE flanges available

TECHNICAL DATA

Torque (Nm)	
700 CE	1,200
700-2 CE	1,900
701 CE	2,500
702 CE	3,500
704 CE	5,000
705 CE	9,000

Torque (Nm)	
700 TE	750
701 TE	1,200
703 TE	2,500
705 TE	5,000

Rated power (kW)	
BPM 200-L1	5
BPM 200-L2	7.5
BPM 200-L3	10
BPM 200-L4	15

TECHNICAL DATA

Torque (Nm)	
705 CE	9,000
706 CE	18,000
707 CE	26,000
709 CE	30,000
710 CE	36,000

Torque (Nm)	
703 TE	2,500
704 TE	3,600
705 TE	5,000
706 TE	7,500
707 TE	9,000
709 TE	12,000
710 TE	18,000
711 TE	20,000


Rated power (kW)	
BPM 240-L4	35
BPM 240-L7	65
BPM 300-L1	100
BPM 300-L2	150



3

MINI TRACK LOADERS

Bonfiglioli's electric version of the track drive combines the validated gearbox design with an air-cooled permanent magnet motor, offering a compact package that equals and even exceeds the propulsion and thrust performances of conventional machines, because power and torque are immediately available to the electric motor at every operating speed. Additionally, as the track gearboxes are electrically driven, the machine can work in sensitive areas where emissions and noise are a concern, even on night shifts. Lastly, electric motors are virtually maintenance-free, allowing for longer maintenance intervals.



700CSE Series
Track Drives

BENEFITS

- Compact
- High performance
- High torque in a limited space
- TCO reduction
- Easy maintenance
- Low noise
- No polluting emissions

FEATURES

- Reduced axial length thanks to PM e-motor
- Fully integrated design
- Integrated electromagnetic parking brake
- Integrated speed and temperature sensors
- High protection rating
- Rotating flange design
- Duo cone seal option

TECHNICAL DATA

Torque (Nm)	
700 CSE	1,200
701 CSE	2,500



BPM MOTOR Series
Pump Drives

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions


- Permanent magnet motors
- Suitable for 48-400 Vdc batteries
- Air cooled
- Aluminum housing
- Protection rating >IP65
- SAE flanges available

Rated power (kW)	
BPM 200-L1	5
BPM 200-L2	7.5
BPM 200-L3	10
BPM 200-L4	15

4

COMPACT TRACK LOADERS

Bonfiglioli's electric version of the track drive combines the validated gearbox design with a liquid-cooled permanent magnet motor, offering a compact package that equals and even exceeds the propulsion and thrust performances of conventional machines, because power and torque are immediately available to the electric motor at every operating speed. Additionally, as the track gearboxes are electrically driven, the machine can work in sensitive areas where emissions and noise are a concern, even on night shifts. Lastly, electric motors are virtually maintenance-free, allowing for longer maintenance intervals.



700CTE Series
Track Drives

BENEFITS

- Ability to work in sensitive areas without emissions
- Machine works without noise and less vibration
- Increased productivity
- Less maintenance
- Maneuverability
- Compact design

FEATURES

- Multistage planetary gearbox
- Rotating housing output
- Validated in the field
- Integrated parking brake
- Specific heavy duty seals
- Permanent magnet motors
- Suitable for 400-800 Vdc batteries
- Liquid cooled
- Protection rating >IP67
- Rated power up to 35 kW

TECHNICAL DATA

Torque (Nm)	
704 CTE	5,000
705 CTE	6,500

Rated power (kW)	
BPM 240-L4	35





5
PAVERS

Wheel and track drives
Bonfiglioli produces a series of reliable drives to give paving machine builders a selection of quality drive systems. Our entire portfolio boasts top-level performances, including high torque in a compact space with limited axial dimensions. The electric version has fixed ratio or hydraulic-operated shift.



600WE Series
Wheel Drives

BENEFITS

- Benefits for OEMs**
 - Ability to downsize and downspeed combustion engines
 - Easy installation: electric solution dimensions comparable to standard hydrostatics
 - Higher system reliability: fewer mechanical parts
 - Virtually maintenance-free electric motors
 - From wheel bolt to electric wire with only one supplier
- Benefits for end users**
 - Reduced fuel consumption
 - Increased productivity
 - Better machine maneuverability
 - The electric solution is cleaner: lower risk of oil spills

FEATURES

- Multistage planetary gearbox
 - Rotating housing output
 - Validated in the field
 - Low noise
- Permanent magnet motors
 - Suitable for 400-800 Vdc batteries
 - Liquid cooled
 - Aluminum or cast iron housing
 - Protection rating >IP65

TECHNICAL DATA

Torque (Nm)	
605 W..V..	10,000
606 W..V	17,000
607 W..V	22,000
609 W..V	30,000
610 W..V	36,000
610 X	40,000
611 W..V	45,000
613 W	60,000

Rated power (kW)	
BPM 240-L4	35
BPM 240-L7	65
BPM 300-L1	100
BPM 300-L2	150



700CE Series
Track Drives

BENEFITS

- Benefits for OEMs**
 - Ability to downsize and downspeed combustion engines
 - Easy installation: electric solution dimensions comparable to standard hydrostatics
 - Higher system reliability: fewer mechanical parts
 - Virtually maintenance-free electric motors
 - From sprocket to electric wire with only one supplier
- Benefits for end-users**
 - Reduced fuel consumption
 - Increased productivity
 - Better machine maneuverability
 - The electric solution is cleaner: lower risk of oil spills

FEATURES

- Multistage planetary gearbox
 - Rotating housing output
 - Validated in the field
 - Permanent magnet motors
- Suitable for 400-800 Vdc batteries
 - Liquid cooled
 - Aluminum or cast iron housing
 - Protection rating >IP65

TECHNICAL DATA

Torque (Nm)	
707 CE	26,000
709 CE	30,000
710 CE	36,000
711 CE	45,000
713 CE	60,000

Rated power (kW)	
BPM 240-L4	35
BPM 240-L7	65
BPM 300-L1	100
BPM 300-L2	150




6

CRUSHERS & SCREENERS

Track drives
With a reliable series of products for crushing equipment, Bonfiglioli gives OEMs the best possible choice of track drive system. High performance, including high torque in a compact space, is one of our portfolio's key benefits. These solutions give the machine smooth operation and long product life.

Conveyor drives
The performance of Bonfiglioli's drives guarantees low level of maintenance, helping our customers increase reliability and cut costs.



7

TRANSIT MIXER TRUCKS

Our solutions for concrete trucks offer precise rpm control, low noise levels and fuel consumption as well as maintenance and reduced fuel costs. Available in both electric and hydraulic versions, Bonfiglioli drum drives are designed around the needs of machine builders. Our electric version not only guarantees greater energy efficiency and reduced fuel consumption, but also cuts cement mixer truck operating costs.



700CE Series
Track Drives



800 Series
Conveyor Drives



500 Series
Drum Drives

BENEFITS

Benefits for end-users

- Reduced fuel consumption
- Increased productivity
- Better machine maneuverability
- The electric solution is cleaner: lower risk of oil spills

Benefits for OEMs

- Ability to downsize and downspeed combustion engines
- Easy installation: electric solution dimensions comparable to standard hydrostatics
- Higher system reliability: fewer mechanical parts
- Virtually maintenance-free electric motors
- From sprocket to electric wire with only one supplier

- High torque capacity
- High load capacity

FEATURES

- Input speed up to 6,000 rpm
- Multistage planetary gearbox
- Rotating housing output
- Validated in the field
- Permanent magnet motors

- Suitable for 48-400 Vdc batteries
- Air cooled
- Aluminum housing
- Protection rating >IP65

- Rotating housing flange
- Rugged construction
- Optional freewheel for anti-runback device

TECHNICAL DATA

Torque (Nm)	
707 CE	26,000
709 CE	30,000
710 CE	36,000
711 CE	45,000
713 CE	60,000

Rated power (kW)	
BPM 200-L1	5
BPM 200-L2	7.5
BPM 200-L3	10
BPM 200-L4	15

Torque (Nm)	
805 W2	5,000
806 W2	10,000
810 F2	17,500
811 W2	27,000
813 W3	42,000

BENEFITS

- Enhanced operational reliability
- Reduced maintenance costs
- Increased energy efficiency and low fuel consumption
- Low operating noise levels

- Accurate rotation speed control
- High functionality in the event of failure, thanks to a second backup DC motor

FEATURES

- **Gear ratios**
Main: 1:220
Emergency: 1:2200
- **Input speed**
Main: 3500 rpm
Emergency: 2000 rpm

- **Motors**
Main: Induction AC
Emergency: PM DC motor

TECHNICAL DATA

Torque (Nm)	
575	50,000
577	60,000
580	75,000





8

SPRAYERS

With a series of reliable products for wheeled sprayers, Bonfiglioli offers machine builders a range of excellent drive systems. Our portfolio guarantees performance, including high torque in a compact space with limited axial dimensions. The electric version includes a maintenance-free compact electric motor, which offers comparable dimensions to the hydraulic one.



600WE Series
Wheel Drives

BENEFITS

Benefits for OEMs

- Ability to downsize and downspeed combustion engines
- Easy installation: electric solution dimensions comparable to standard hydrostatics
- Higher system reliability: fewer mechanical parts
- Virtually maintenance-free electric motors
- From wheel bolt to electric wire with only one supplier

Benefits for end users

- Reduced fuel consumption
- Increased productivity
- Better machine maneuverability
- The electric solution is cleaner: lower risk of oil spills

FEATURES

- Multistage planetary gearbox
- Rotating housing output
- Validated in the field
- Low noise


- Permanent magnet motors
- Suitable for 400-800 Vdc batteries
- Liquid cooled
- Aluminum or cast iron housing
- Protection rating >IP65

TECHNICAL DATA

Torque (Nm)	
605 W..V..	10,000
606 W..V	17,000
607 W..V	22,000
609 W..V	30,000
610 W..V	36,000
610 X	40,000
611 W..V	45,000
613 W..V	60,000

Rated power (kW)	
BPM 240-L4	35
BPM 240-L7	65
BPM 300-L1	100
BPM 300-L2	150





9

WHEELED & TRACKED
AGRIROBOTS

With a series of reliable products for wheeled AGV Robot, Bonfiglioli offers machine builders a range of excellent drive systems. Bonfiglioli portfolio guarantees performances including high torque in a compact space with limited axial dimensions. The electric drives includes a maintenance- free compact electric motor, which offers comparable dimensions to the hydraulic one.



600WE Series
Wheel Drives



MP + BMD MOTOR Series
Steering Drives



700CE Series
Track Drives



BPM MOTOR Series
Pump Drives

BENEFITS

- Compact dimensions
- Low noise
- High efficiency
- Maintenance free motors

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

FEATURES

- Multistage planetary drive
- Optimized gear design for maximum efficiency and minimum noise
- Integrated, low voltage, 3 phase PM or induction motor
- Integrated, high accuracy, temperature sensor
- High resolution, hall effect speed sensor
- Motor protection rating degree up to IP67

- Permanent magnet motors
- Suitable for 48-400 Vdc batteries
- Air cooled
- Aluminum housing
- Protection rating >IP65
- Precision steering thanks to low backlash

TECHNICAL DATA

Torque (Nm)	
600 WL	500
600 WE	900
601 RE	3,000
602 RE	3,500
602 WE	4,500
604 WE	7,000
605 WE	10,000

Torque (Nm)	
BMD 65	0,85
BMD 65	1,7
BMD 65	2,2
BMD 82	3,2
BMD 82	4,4
BMD 102	4,0
BMD 102	7,2
BMD 102	9,6

Torque (Nm)	
BMD 118	5,6
BMD 118	10,2
BMD 118	14
BMD 145	16,8
BMD 145	22
BMD 170	34
BMD 170	45

BENEFITS

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

FEATURES

- Reduced axial length thanks to PM e-motor
- Fully integrated design
- Integrated electromagnetic parking brake
- Integrated speed and temperature sensors
- High protection rating

TECHNICAL DATA

Torque (Nm)	
700 CE	1,200
700-2 CE	1,900
701 CE	2,500
702 CE	3,500
704 CE	5,000
705 CE	9,000

- Compact
- High performance
- High torque in a limited space
- Reduced TCO
- Easy maintenance
- Low noise
- No polluting emissions

- Permanent magnet motors
- Suitable for 48-400 Vdc batteries
- Air cooled
- Aluminum housing
- Protection rating >IP65
- SAE flanges available

Rated power (kW)	
BPM 200-L1	5
BPM 200-L2	7,5
BPM 200-L3	10
BPM 200-L4	15



R&D Capacity

DESIGN SIMULATION



TESTING
LABORATORIES



CO-ENGINEERING



Our worldwide presence

Thanks to an international network of closely interconnected commercial and production sites, we can guarantee the same high standards of Bonfiglioli quality anywhere at any given time. We know that our direct presence in local markets is the key to long-lasting success, so our family includes 18 production sites, 24 commercial sites and more than 550 distributors around the world.

Our organization is always close by, offering complete and efficient solutions and supporting our customers with dedicated services, co-engineering and after-sales assistance.

18  PRODUCTION SITES

24  COMMERCIAL SITES

80  COUNTRIES

550  DISTRIBUTORS

~5,000  PEOPLE

Bonfiglioli global locations

AUSTRALIA

Bonfiglioli Transmission (Aust.) Pty Ltd
Plumpton NSW



BRAZIL

Bonfiglioli Redutores do Brasil Ltda
São Bernardo do Campo - São Paulo




CHINA

Bonfiglioli Drives (Shanghai) Co. Ltd.
Shanghai



Selcom Electronics (Shanghai) Co., Ltd
Shanghai



FRANCE

Bonfiglioli Transmission S.A.S.
Marly la Ville



GERMANY

Bonfiglioli Deutschland GmbH
Neuss



Bonfiglioli Deutschland GmbH
Krefeld



O&K Antriebstechnik GmbH
Hattingen



INDIA

Bonfiglioli Transmission Ltd.
Mobility & Wind Industries

Thirumudivakkam
Kancheepuram - Tamil Nadu



Industry & Automation Solutions

Mannur Village, Sriperumbudur Taluk
Kancheepuram - Tamil Nadu



Industry & Automation Solutions

Pune - Maharashtra



ITALY

Bonfiglioli Riduttori S.p.A.

Industry & Automation Solutions
Calderara di Reno (BO)



Industry & Automation Solutions

Carpiano



Mobility & Wind Industries

Forlì



Industry & Automation Solutions

Rovereto



Selcom Group S.p.A.

Castel Maggiore (BO)



Castel Maggiore (BO)



Cadriano (BO)



NEW ZEALAND

Bonfiglioli Transmission (Aust.) Pty Ltd
Auckland - Ellerslie



SINGAPORE

Bonfiglioli South East Asia Pte Ltd
Singapore



SLOVAKIA

Bonfiglioli Slovakia s.r.o.
Považská Bystrica



SOUTH AFRICA

Bonfiglioli South Africa Pty Ltd.
Johannesburg



SOUTH KOREA

Bonfiglioli Korea Co., Ltd.

Busan



SPAIN

Tecnotrans Bonfiglioli S.A.
Castellbisbal - Barcelona



TURKEY

Bonfiglioli Türkiye Jsc
Çiğli - Izmir



UNITED KINGDOM

Bonfiglioli UK Ltd.
Warrington - Cheshire



USA

Bonfiglioli USA Inc.
Hebron - Kentucky



VIETNAM

Bonfiglioli Vietnam Co. Ltd.
Ben Cat city, Binh Duong province



PRODUCTION



ASSEMBLY



SALES



SERVICE





We have a relentless commitment to excellence, innovation & sustainability. Our team creates, distributes and services world-class power transmission & drive solutions to keep the world in motion.

HEADQUARTERS

Bonfiglioli S.p.A.

Via Cav. Clementino Bonfiglioli, 1
40012 Calderara di Reno - Bologna (Italy)
Tel. +39 051 6473111

