

We engineer dreams





CONTENTS

PRIMARY/PRE-TREATMENT Water Gate Trash Rake	
Band Screener Debris Filter	10
Debris Filter	11
SECONDARY/WASTEWATER & SLUDGE TREATMENT	12
Clarifier Screw Press	14
Screw Press	15
Aerator	16
COMPLETE SOLUTIONS FOR POWER TRANSMISSION & AUTOMATION	18
OUR STRIVING FOR THE FUTURE	20
OUR CONSTANT AMBITION	21
OUR GLOBAL PRESENCE	22



Engineering Solutions







WWW.BONFIGLIOLI.COM

WASTEWATER TREATMENT

EFFICIENT, COMPACT SOLUTIONS FOR WATER TREATMENT

From desalination to purification, water and wastewater is a complex sector that requires reliable solutions to ensure uninterrupted operation.

With a comprehensive portfolio of power transmission products, Bonfiglioli can offer efficient solutions for all kinds of applications to support wastewater treatment plants. Easy maintenance, adaptability, compactness and a wide torque range are other fundamental features demanded by water and wastewater processes.


Perfect control of the drive speed and therefore water flow, easy maintenance and high reliability are key elements that enable us to supply our customers with energy saving solutions for the filters, mixers, areators, agitators, water flow control typically used in this sector.







PRIMARY/PRE-TREATMENT



1 WATER GATE

WASTEWATER TREATMENT



1

WATER GATE

Ensure precise and dependable flow control, even remotely. Our solution delivers top-tier control which is both reliable and efficient, leveraging a wide range of technologies for optimum performance even in challenging environmental conditions.



3/A Series

Combined planetary/ helical bevel heavy duty gearbox

NEFITS

- High torque density & peak load capacity
- $\boldsymbol{\cdot}$ Modular and adaptable solution
- Low maintenance costs
- · Minimized mounting space



EVOX BXN Series

Asynchronous Induction
Phase Motor

- · One motor for different markets
- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- · Modular electric motor




Agile Series

Smart inverter

- ent markets Smooth start
 - Variable "cut position" for smaller particles
 - Energy saving function: current consumption redirection during start phase

- High torque density & peak load capacity
- · Modular and adaptable solution
- · Low maintenance costs
- · Minimized mounting space
- Fluoroelastomer and double lip seals
- · IE3 Efficiency level
- Power range up to 7,5kW
- · Built in DC brake
- Thermal protection
- · Anti-condensate heaters
- Second shaft extension
- · Anti corrosive painting up to C5M
- Tropicalization
- Degree of prodection up to IP56

- Series optionally extendable for field bus communication
- Sensorless control of synchronous and asynchronous motors
- Modbus and Systembus onboard
- DC link connection
- Integrated brake chopper
- Power failure control
- Programmable PI Controller
- Integrated VPLC
- Master/slave function with electronic gear
- Integrated safe torque off STO (SIL 2 / PL d) function
- Energy Saving function
- Intelligent current limits
- Output frequency 0...599 Hz, higher frequencies on request
- Diagnosis and setup via integrated keypad and integrated Service interface for PC connection



2

TRASH RAKE

Trash Rakes, together with similar machines, are engineered to efficiently extract debris, waste, and sizable materials from the primary water flow. Because of their critical function, durability and dependability are paramount with these machines. Our solutions offer unparalleled long operating lifetime, solidity, robustness and reliability. What's more, we seamlessly integrate rugged design with advanced technology for maintenance and preemptive servicing.



VF-W Series

Worm gearbox




- $\boldsymbol{\cdot}$ Designed for enduring performance
- Reduced downtime by effectively absorbing peak loads
- Extreme mounting flexibility in compact installation space
- · Easy maintenance



EVOX BXN Series

Asynchronous Induction
Phase Motor



- Simplify installation complexities and inventory management
- Uncompromised Efficiency
- · Modular electric motor



Agile Series

Smart inverter

- Smooth start
- Variable "cut position" for smaller particles
- Energy saving function: current consumption redirection during start phase




- Torque range: 13 to 7100Nm
- Ratio up to 1:10.000
- Wide option range including reinforced bearings, embedded torque limiter and torque arm
- Fluoroelastomer and double lip seals
- · IE3 Efficiency level
- Power range up to 7,5kW
- · Built in DC brake
- Thermal protection
- · Anti-condensate heaters
- Second shaft extension
- · Anti corrosive painting up to C5M
- Tropicalization
- Degree of prodection up to IP56

- Series optionally extendable for field bus communication
- Sensorless control of synchronous and asynchronous motors
- Modbus and Systembus onboard
- DC link connection
- Integrated brake chopper
- Power failure control
- Programmable PI Controller
- Integrated VPLC
- Master/slave function with electronic gear
- Integrated safe torque off STO (SIL 2 / PL d) function
- Energy Saving function
- Intelligent current limits
- Output frequency 0...599 Hz, higher frequencies on request
- Diagnosis and setup via integrated keypad and integrated Service interface for PC connection



VASTEWATER TREATMENT



BAND SCREENER

Stormwater often carries a mix of natural and man-made debris, which all needs to be effectively separated from the water before it goes on to the next stage of purification. A range of movable cleaning systems are used to ensure the filters stay clear at all times. Our gearmotors and solutions stand out as the best choice, offering a blend of reliability, robustness, cost-effectiveness, and efficiency.



3/A Series

Combined planetary/ helical bevel heavy duty gearbox

- · High torque density & peak load capacity
- · Modular and adaptable solution
- · Low maintenance costs
- · Minimized mounting space



BX Series

Asynchronous induction phase motor

· Reliable, balanced and robust



Agile Series

Smart inverter

- · Compliant with the most of the efficiency standards
- · Smooth start
- · Variable "cut position" for smaller
- · Energy saving function: current consumption redirection during start phase

- Backstop device
- · Planetary and helical bevel gear technology
- · Shaft mounting
- Rain Canopy
- Fluoroelastomer and double lip seals
- Power range up to 22kW
- · Built in DC brakes
- Thermal protection
- · Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- · Degree of protection up to IP56

- · Series optionally extendable for field bus communication
- Sensorless control of synchronous and asynchronous motors
- Modbus and Systembus onboard
- · DC link connection
- Integrated brake chopper
- Power failure control
- Programmable PI Controller
- Integrated VPLC
- · Master/slave function with electronic gear
- Integrated safe torque off STO (SIL 2 / PL d) function
- Energy Saving function
- · Intelligent current limits
- · Output frequency 0...599 Hz, higher frequencies on request
- · Diagnosis and setup via integrated keypad and integrated Service interface for PC connection



DEBRIS FILTER

Whether it's a Band Screener or a Rake Filter, the ultimate goal of the Debris Filter is to efficiently capture and eliminate unwanted materials and debris from the fluid stream, ensuring a clean flow for the subsequent treatment stages. Our solution boasts a solid, robust design precisely engineered to withstand demanding operation and harsh climates. What's more, it simplifies maintenance and servicing procedures, enhancing overall efficiency.



F Series Shaft Mounted Gearbox



Asynchronous Induction Phase Motor

EVOX BXN Series



Agile Series Smart inverter

- · High efficiency
- · Reliability and robustness
- Compactness
- · Low maintenance

- · One motor for different markets
- · Simplify installation complexities and inventory management
- Uncompromised Efficiency
- · Modular electric motor

- · Smooth start
- · Variable "cut position" for smaller
- · Energy saving function: current consumption redirection during start phase


- · Shaft mounted solution with different output configurations
- Housing integrated torque arm design and anti-vibration kits
- · Wide range of ratios
- · Availability of different grade of protection
- · Compact or IEC/NEMA flanged motor adaptors
- Fluoroelastomer and double lip seals

- IE3 Efficiency level
- · Power range up to 7,5kW
- · Built in DC brake
- Thermal protection
- · Anti-condensate heaters
- Second shaft extension
- · Anti corrosive painting up to C5M
- Tropicalization
- Degree of prodection up to IP56

- · Series optionally extendable for field bus communication
- Sensorless control of synchronous and asynchronous motors
- Modbus and Systembus onboard
- · DC link connection
- Integrated brake chopper
- Power failure control
- · Programmable PI Controller
- Integrated VPLC
- · Master/slave function with electronic gear
- Integrated safe torque off STO (SIL 2 / PL d) function
- Energy Saving function
- · Intelligent current limits
- · Output frequency 0...599 Hz, higher frequencies on request
- · Diagnosis and setup via integrated keypad and integrated Service interface for PC connection




SECONDARY/WASTEWATER & SLUDGE TREATMENT



3 AERATOR

WASTEWATER TREATMENT



1

CLARIFIER

In the latter phase of treatment, water is clarified using various methods, like applying coagulants and flocculants to facilitate the aggregation of fine particles, settling tanks where gravity aids the separation of particles, or mechanical devices that physically remove impurities from the water. This stage typically demands an aggressive environment, high torque, and low speed. Our solution and products are meticulously crafted to meet the precise technical specifications of the clarifier. Torque control protects against system failures caused by blade overload, ensuring smooth operation.



300M Series

Planetary Gearbox

BENEFITS

- Robustness
- Reliability in harsh working conditions & wide range of temperature
- · High torque density
- Modularity
- · High overhung load capacity



BX Series

Asynchronous induction phase motor

- · Reliable, balanced and robust
- Compliant with the most of the efficiency standards



Active Cube Series

Premium inverter

- Multi-drive synchronization & torque control
- Drive Control is highly customizable
- Extremely compact

- Widest range of ratios
- $\boldsymbol{\cdot}$ Easy to fit output pinion
- IEC or NEMA motor flange
- Wide range of motion control solutions
- Availability of different grades of protection
- Fluoroelastomer and double lip seals

- Power range up to 22kW
- · Built in DC brakes
- · Thermal protection
- · Anti-condensate heaters
- · Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- · Degree of protection up to IP56

- Power range: 0.25 to 400 kW (parallel connection: up to 1200 kW)
- Electric shaft with master/slave configuration (Systembus)
- Master & slave control & communication protocol
- · Integrated VPLC



2

SCREW PRESS

The process of separating liquid from solids usually involves pressing sludge or slurry, followed by the separation of water and solids. The pressing is often performed using a press with a rotating screw housed in a cylindrical or conical structure. As the screw rotates, it compresses the sludge, expelling water through press apertures while retaining the dewatered solids. This operation often means high specific axial loads have to be handled, which is why our extensive product range offers a variety of technologies and solutions to ensure robust, reliable performance. The modular design of the 300 M series aligns seamlessly with the required screw speed, promoting efficient operation.



300M Series

Planetary Gearbox

NEFITS

- Robustness
- Reliability in harsh working conditions and wide range of temperature
- · High torque density
- Modularity
- High overhung load capacity



BX Series

Asynchronous induction phase motor

- · Reliable, balanced and robust
- Compliant with the most of the efficiency standards



Active Cube Series

Premium inverter


- Multi-drive synchronization & torque control
- Drive Control is highly customizable
- Extremely compact

- Widest range of ratios
- Easy to fit output pinion
- IEC or NEMA motor flange
- Wide range of motion control solutions
- Availability of different grades of protection
- Fluoroelastomer and double lip seals

- Power range up to 22kW
- Built in DC brakes
- $\cdot \ \text{Thermal protection} \\$
- · Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- $\boldsymbol{\cdot}$ Degree of protection up to IP56

- Power range: 0.25 to 400 kW (parallel connection: up to 1200 kW)
- Electric shaft with master/slave configuration (Systembus)
- Master & slave control & communication protocol
- · Integrated VPLC

WASTEWATER TREATMENT



3

AERATOR

Aerator, mixer, and agitator devices are specifically engineered to introduce air or other gases into liquids, aiding processes like oxygenation or other chemical reactions. This is achieved through rotating systems, like paddle or shaft agitators, which generate fluid movement and produce bubbles.

Our products and solutions are meticulously designed to meet the rigorous demands of these applications. Their capabilities can withstand high radial loads, ensure mechanical separation between the lubrication chamber and output, regulate speed effectively, and thrive in aggressive atmospheres. Remote control and preventive maintenance solutions are available as extra options, ensuring seamless integration with the primary requirements for the application.



HDP Series

Heavy Duty Geared Motor (Helical-Parallel)

NEFITS

- Robustness
- Reliability in harsh working conditions and wide range of temperature
- Space effective U-shape arrangement
- High overhung load capacity
- Tailored service and warranty plans
- Pre-sales and product definition support according to the material handling and lifting standards



BX Series

Asynchronous induction phase motor

- · Reliable, balanced and robust
- Compliant with the most of the efficiency standards



Active Cube Series

Premium inverter

- Multi-drive synchronization & torque control
- Drive Control is highly customizable
- · Extremely compact

- Double input and output shaft
- Wide range of ratios
- Transmissible torque up to 210.000 Nm
- IEC or NEMA motor flange
- Safety solutions according to the customer requirements
- Wide range of motion control solutions
- Availability of different grade of protection


- Power range up to 22kW
- Built in DC brakes
- Thermal protection
- · Anti-condensate heaters
- Second shaft extension
- Anti corrosive painting up to C5M
- Tropicalization
- · Degree of protection up to IP56

- Power range: 0.25 to 400 kW (parallel connection: up to 1200 kW)
- Electric shaft with master/slave configuration (Systembus)
- Master & slave control & communication protocol
- Integrated VPLC

SECONDARY/WASTEWATER & SLUDGE TREATMENT



WASTEWATER TREATMENT



GEAR UNITS

Helical parallel shaft gear units

HDP Series

• Torque range: 5,190 to 147,070 Nm

• **Gear ratios:** 7.1 to 500

Planetary gear units | 300M Series

• **Torque range:** 1,250 to 1,286,000 Nm

• **Gear ratios:** 3.4 ... 2,916

Combined planetary/helical bevel gear units

3/A Series

• Torque range: 46,660 to 1,188,610 Nm

• **Gear ratios:** 30 to 1,160

Worm gear units | W-VF Series

• Torque range: 13 to 7,100 Nm

• **Gear ratios:** 5.6 to 10,000

Helical parallel gear units | F Series

• **Torque range:** 140 to 14,000 Nm

• **Gear ratios:** 5.6 to 500

ELECTRIC MOTORS

Asynchronous IEC motors | **BX Series** Asynchronous compact motors | **MX series**

A complete range of AC motors, meeting basic worldwide MEPS (e.g. IE3)

• **Power range:** 0.75 to 22 kW

· Poles: 4

IE3

Asynchronous IEC motors | EVOX BXN Series
Asynchronous compact motors | EVOX MXN Series

A complete range of AC motors, meeting application worldwide MEPS (e.g. IE3)

• Power range: 0.12 to 7.5 kW

· Poles: 4



COMPLETE SOLUTIONS FOR POWER TRANSMISSION & AUTOMATION



INVERTERS

Premium inverter | Active Cube Series

• ACU210: 0.25 - 9.2 kW / 1- or 3-phase 230 V

• **ACU410*:** 0.25 - 400 kW / 3-phase 380...480 V

• ACU510*: 160 - 400 kW / 3-phase 525 V

• ACU610*: 0.25 - 400 kW / 3-phase 690 V

Premium inverter | Active Cube Series

• ACU210: 0.25 - 9.2 kW / 1- or 3-phase 230 V

• ACU410*: 0.25 - 400 kW / 3-phase 380...480 V


• **ACU510*:** 160 - 400 kW / 3-phase 525 V

• ACU610*: 0.25 - 400 kW / 3-phase 690 V

Smart inverter | Agile Series

• **AGL202:** 0.12 - 3 kW / 1-phase | 0.25 - 7.5 kW / 3-phase 230 V

• AGL402: 0.25 - 11 kW / 3-phase 380...480 V





OUR STRIVING FOR THE FUTURE

DESIGN SIMULATION

Bonfiglioli has the most advanced **virtual simulation techniques** to accelerate the validation process. This reduces time to market and provides customers with optimized, efficient solutions.

TEST LABORATORIES

In our R&D department we **research**, **develop**, **validate and certify** all the products and solutions which are engineered and manufactured in our plants across the world.



CO-ENGINEERING

At Bonfiglioli we work close to our customers to satisfy all their needs and requirements with a truly tailor-made solution.





OUR CONSTANT AMBITION

QUALITY, HEALTH, SAFETY, ENVIRONMENT & ENERGY

QUALITY: WE CARE ABOUT OUR CUSTOMERS

Our team is completely dedicated to continuous improvement in the areas of quality, safety, environmental and energy, throughout the entire value chain, from the smallest supplier to the end client. Bonfiglioli is committed to achieving the highest quality standards, and our products are intended to generate value for our customers while respecting both people and the environment. We design, manufacture and supply effective products and services that set a benchmark for quality in the industry.

Bonfiglioli management systems are certified ISO 9001:2015, ISO 14001:2015, ISO 45001:2023 and ISO 50001:2018, while our products are covered by 7 international certifications. Responsibility, excellence and continuous improvement are the basic elements that make us the favored partner of our clients and suppliers.

HEALTH & SAFETY: SUSTAINABILITY STARTS WITH SAFETY

Prevention of accidents and incidents is a key element in our company's sustainability strategy and an integral part of every one of our business processes. Successful risk management is essential for protecting our employees and assets, thereby strengthening their contributions.

ENVIRONMENT & ENERGY: RESPECT THE PRESENT TO BUILD THE FUTURE

At Bonfiglioli, we believe that respect for the present and adopting environmental protection and energy efficiency policies are essential if we are to enjoy a better future.



OUR GLOBAL PRESENCE

Thanks to an international network of closely interconnected commercial and production sites, we can guarantee the same high standards of Bonfiglioli quality anywhere at any given time. We know that our direct presence in local markets is the key to long-lasting success, so our family includes 17 production sites, 23 commercial sites and more than 550 distributors around the world.

Our organization is always close by, offering complete and efficient solutions and supporting our customers with dedicated services, co-engineering and after-sales assistance.

PRODUCTION SITES

25
COMMERCIAL SITES



550
DISTRIBUTORS

~5,000

AUSTRALIA

Bonfiglioli Transmission (Aust.) Pty Ltd

2, Cox Place Glendenning NSW 2761 Locked Bag 1000 Plumpton NSW 2761 Tel. +61 2 8811 8000



BRAZIL

Bonfiglioli Redutores do Brasil Ltda

Av. Osvaldo Fregonezi, 171, cjs 31 e 44 CEP 09851-015 - São Bernardo do Campo São Paulo

Tel. +55 11 4344 2322



CHINA

Bonfiglioli Drives (Shanghai) Co. Ltd.

#68, Hui-Lian Road, QingPu District, 201707 Shanghai Tel. +86 21 6700 2000



Selcom Electronics (Shanghai) Co., Ltd

A7, No.5399, Waiqingsong Road, QingPu District, 201707 Shanghai

Tel. +86 21 6010 8100



A24, No.5399, Waiqingsong Road, QingPu District,

201707 Shanghai Tel. +86 21 6010 8100



FRANCE

Bonfiglioli Transmission S.A.S.

14 Rue Eugène Pottier Zone Industrielle de Moimont II 95670 Marly la Ville Tel. +33 1 34474510



GERMANY

Bonfiglioli Deutschland GmbH

Sperberweg 12 - 41468 Neuss Tel. +49 0 2131 2988 0



Bonfiglioli Vectron GmbH

Europark Fichtenhain B6 - 47807 Krefeld Tel. +49 0 2151 8396 0



O&K Antriebstechnik GmbH

Ruhrallee 8-12 - 45525 Hattingen Tel. +49 0 2324 2050 1



INDIA

Bonfiglioli Transmission Pvt. Ltd.

Mobility & Wind Industries AC 7 – 11, SIDCO Industrial Estate, Thirumudivakkam Kancheepuram - 600132 - Tamil Nadu Tel. +91 844 844 8649



Industry & Automation Solutions

Survey No. 528/1, Perambakkam High Road Mannur Village, Sriperumbudur Taluk Kancheepuram - 602 105 - Tamil Nadu Tel. +91 844 844 8649



Industry & Automation Solutions Plot No E-5/2, Badhalwadi Talegaon MIDC Phase II, Pune – 410 507 - Maharashtra Tel. +91 844 844 8649



Bonfiglioli Drive Systems Pvt. Ltd.

Industry & Automation Solutions No 50, Papparambakkam Road, Mannur Village, Sriperumbudur Taluk, Kancheepuram - 602105 - Tamil Nadu Tel. +91 844 844 8649



ITALY

Bonfiglioli Riduttori S.p.A.

Industry & Automation Solutions Via Cav. Clementino Bonfiglioli, 1 40012 Calderara di Reno Tel. +39 051 6473111



Industry & Automation Solutions Via Sandro Pertini, lotto 7b 20080 Carpiano Tel. +39 02985081



Mobility & Wind Industries
Via Enrico Mattei, 12 Z.I. Villa Selva
47122 Forlì

Tel. +39 0543 789111



Industry & Automation Solutions Via Unione, 49 - 38068 Rovereto Tel. +39 0464 443455/36



Selcom Group S.p.A.

Via Achille Grandi, 5 40013 Castel Maggiore (BO) Tel. +39 051 6387111



Via Marino Serenari, 18 40013 Castel Maggiore (BO) Tel. +39 051 6387111



Via Cadriano, 19 40057 Cadriano (BO) Tel. +39 051 6387111



NEW ZEALAND

Bonfiglioli Transmission (Aust.) Pty Ltd

88 Hastie Avenue, Mangere Bridge, 2022 Auckland PO Box 11795, Ellerslie Tel. +64 09 634 6441



SINGAPORE

Bonfiglioli South East Asia Pte Ltd

8 Boon Lay Way, #04-09, 8@ Tadehub 21, Singapore 609964 Tel. +65 6268 9869



SLOVAKIA

Bonfiglioli Slovakia s.r.o.

Robotnícka 2129 Považská Bystrica, 01701 Slovakia Tel. +421 42 430 75 64



SOUTH AFRICA

Bonfiglioli South Africa Pty Ltd.

55 Galaxy Avenue, Linbro Business Park, Sandton, Johannesburg 2090 South Africa Tel. +27 11 608 2030



SPAIN

Tecnotrans Bonfiglioli S.A

Avinguda del Ferrocarril, nº 14, Polígono Industrial Can Estapé 08755 Castellbisbal - Barcelona Tel. +34 93 447 84 00



TURKEY

Bonfiglioli Türkiye Jsc

Atatürk Organize Sanayi Bölgesi, 10007 Sk. No. 30 Atatürk Organize Sanayi Bölgesi, 35620 Çiğli - Izmir Tel. +90 0 232 328 22 77



~~ 1 00 1 9 0

UNITED KINGDOM Bonfiglioli UK Ltd.

Unit 1 Calver Quay, Calver Road, Winwick Warrington, Cheshire - WA2 8UD Tel. +44 1925 852667



USA

Bonfiglioli USA Inc.

3541 Hargrave Drive Hebron, Kentucky 41048 Tel. +1 859 334 3333



VIETNAM

Bonfiglioli Vietnam Co. Ltd.

Lot C-9D-CN, My Phuoc 3 Industrial Park, Thoi Hoa ward, Ben Cat city, Binh Duong province, Vietnam Tel. +84 274 3577411













We have a relentless commitment to excellence, innovation & sustainability. Our team creates, distributes and services world-class power transmission & drive solutions to keep the world in motion.

HEADQUARTERS

Bonfiglioli S.p.A Via Cav. Clementino Bonfiglioli, 1 40012 Calderara di Reno - Bologna (Italy) Tel. +39 051 6473111







